

UNITED STATES ARTMENT OF COMMERCE Patent and Trademark Office

NOTICE OF ALLOWANCE AND ISSUE FEE DUE

QM02/0404

CHARLES W CHANDLER 33150 SCHOOLCRAFT LIVONIA MI 48150

| APPLICATION NO. | FILING DATE | TOTAL CLAIMS | EXAMINER AND GROUP ART UN | IT X | DATE MAILED |
|-----------------------|-------------|--------------|---------------------------|-------|-------------|
| 09/444,443 | 11/22/99 | 034 1 | WGUYEN, N | 374 | 04/04/00 |
| First Named MORANDO . | | 35 USC | 154(b) term ext. = | 0 Day | 4 |

INVENTION OF PUMPING APPLICATION IN MOLTEN METAL

| ſ | ATTY'S DOCKET NO. | CLASS-SUBCLASS | BATCH NO. | · APPLN. TYPE | SMALL ENTITY | FEE DUE | DATE DUE |
|---|-------------------|----------------|-----------|---------------|--------------|----------|----------|
| | 2 MJV-118-A | 415-135 | 5.000 Z9 | 99 UTILITY | YES | \$605.00 | 07/05/00 |

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED.

THE ISSUE FEE MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED.

HOW TO RESPOND TO THIS NOTICE:

- I. Review the SMALL ENTITY status shown above.

 If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:
 - A. If the status is changed, pay twice the amount of the FEE DUE shown above and notify the Patent and Trademark Office of the change in status, or
 - B. If the status is the same, pay the FEE DUE shown above.

If the SMALL ENTITY is shown as NO:

- A. Pay FEE DUE shown above, or
- B. File verified statement of Small Entity Status before, or with, payment of 1/2 the FEE DUE shown above.
- II. Part B-Issue Fee Transmittal should be completed and returned to the Patent and Trademark Office (PTO) with your ISSUE FEE. Even if the ISSUE FEE has already been paid by charge to deposit account, Part B Issue Fee Transmittal should be completed and returned. If you are charging the ISSUE FEE to your deposit account, section "4b" of Part B-Issue Fee Transmittal should be completed and an extra copy of the form should be submitted.
- III. All communications regarding this application must give application number and batch number.

 Please direct all communications prior to issuance to Box ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

Notice of Allowability

Application No. **09/444,443**

Applicant(s)

Examiner

Ninh Nguyen Group Art Unit

Morando

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course. ☐ This communication is responsive to _____ ★ The allowed claim(s) is/are 1-34 ☐ The drawings filed on are acceptable. Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d). ☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been ☐ received in Application No. (Series Code/Serial Number) received in this national stage application from the International Bureau (PCT Rule 17.2(a)). *Certified copies not received: Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e). A SHORTENED STATUTORY PERIOD FOR RESPONSE to comply with the requirements noted below is set to EXPIRE THREE MONTHS FROM THE "DATE MAILED" of this Office action. Failure to timely comply will result in ABANDONMENT of this application. Extensions of time may be obtained under the provisions of 37 CFR 1.136(a). ■ Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION, PTO-152, which discloses that the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED. X Applicant MUST submit NEW FORMAL DRAWINGS because the originally filed drawings were declared by applicant to be informal. Including changes required by the Notice of Draftsperson's Patent Drawing Review, PTO-948, attached hereto or to Paper No. including changes required by the proposed drawing correction filed on ______, which has been approved by the examiner. including changes required by the attached Examiner's Amendment/Comment. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the reverse side of the drawings. The drawings should be filed as a separate paper with a transmittal lettter addressed to the Official Draftsperson. ☐ Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Any response to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE/SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included. Attachment(s) X Notice of References Cited, PTO-892 ☐ Information Disclosure Statement(s), PTO-1449, Paper No(s). Notice of Draftsperson's Patent Drawing Review, PTO-948 ■ Notice of Informal Patent Application, PTO-152 ☐ Interview Summary, PTO-413 □ Examiner's Amendment/Comment ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material X Examiner's Statement of Reasons for Allowance

Win.

Application/Control Number: 09/444,443

Art Unit: 3745

Page 2

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The instant invention is deemed patentable because the prior art, U.S. patent number 5,181,828 to Gilbert et al., only shows an apparatus for moving molten metal in a bath of molten metal comprising a rotatable moving member, a shaft having a longitudinal axis, power means for rotating the shaft, means for connecting the moving member to the lower end of the shaft, an elongated tubular shield having a shield axis coincides with the shaft axis, and means for longitudinally and compressively pre-stressing the tubular shield comprising an upper clamping member, a lower clamping member mounted on the upper and lower portions of the shield, and means for adjusting the longitudinal distance between the upper and lower clamping members.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/444,443

Art Unit: 3745

Prior Art

The prior art made of record but not relied upon is considered pertinent to applicant's

disclosure and consists of 1 patent.

Anderson et al. is cited to show a molten metal pump having means to pre-stress the

tubular shield.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Examiner Ninh Nguyen whose telephone number is (703) 305-0061. The

examiner can be normally reached on Monday-Friday from 8:00 A.M. to 5:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward Look, can be reached at (703) 308-1044. The fax number for this group is

(703) 305-3588.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the Group receptionist whose telephone number is (703) 308-0861.

Minh H. Obznyk Ninh H. Nguyen

Patent Examiner

Art Unit 3745

March 31, 2000

EDWARD K. LOOK

SUPERVISORY PATENT EXAMINER

Elsoo

Page 3

GROUP 3700

4/3/00